

TMT-750 | TMT-1300 | TMT-2500

TELESCOPICMAST

Mobile Security Box Transport & Trailers





The equipment shown in this brochure
is for reference only and is not included!

About TelescopicMast

TelescopicMast provides advanced mobile surveillance towers, catering to evolving security needs. Based in the Netherlands with a growing U.S. presence, it ensures swift support and access to its flagship, the Mobile Security Box. Adjustable from 13 to 30 feet, this solution enhances surveillance for sites and events. Designed for U.S. compliance, it enables quick deployment and integration with major security technologies.

Towers vs Trailers

Mobile surveillance in the U.S. mainly relies on trailers, but TelescopicMast offers an alternative. The choice depends on deployment speed, transportability, and security.

Deployment

Trailers are ideal for frequent relocation, while towers suit long-term, stationary use.

Transportability

Trailers offer mobility but can be costly if underutilized. Towers, with a smaller footprint, reduce long-term logistical costs.

Security

Towers resist theft with anti-climbing features and are harder to tamper with.

Though trailers dominate, towers provide a secure, cost-effective option for extended deployments.

Transporting your Mobile Surveillance towers

Traditional surveillance trailers add unnecessary costs and complexity. TelescopicMast offers a smarter, cost-effective solution by using trailers solely for transport, eliminating bulky on-site components. This reduces clutter, lowers costs, and allows investment in better equipment.

Designed for single-person operation, these trailers ensure precise positioning on any terrain. With hydraulic lifting, shock absorbers, and a galvanized chassis, they provide durable, efficient, and reliable security deployment for any environment.

Contact

For more information on TelescopicMast's surveillance towers and transportation solutions, contact Gawain Guedry. As a trusted expert in security deployments, he can provide tailored solutions to meet your specific needs.

Reach out via phone at +1(702) 885-2069 or email gawain@telescopicmast.com



Frank Aben
Co-founder | Product Director



Henk de Haan
Co-founder | CEO



Gawain Guedry
Director, North American
Sales and Operations

Load, lift and drive...

Transporting your Mobile Surveillance towers

Traditional surveillance trailers add unnecessary costs and complexity. TelescopicMast offers a smarter, cost-effective solution by using trailers solely for transport, eliminating bulky on-site components. This reduces clutter, lowers costs, and allows investment in better equipment.

Designed for single-person operation, these trailers ensure precise positioning on any terrain. With hydraulic lifting, shock absorbers, and a galvanized chassis, they provide durable, efficient, and reliable security deployment for any environment.



TMT-750

The TMT-750 is a compact trailer designed for easy transport of Mobile Security Boxes. With a maximum permitted weight of 1,653 lbs, single braked axle and galvanised chassis, it's ideal for confined spaces. No hydraulic lifting, but easy to load with a forklift. Perfect for flexible, cost-effective deployments where speed, simplicity and one-man operation are required.

TMT-1300

The TMT-1300 trailer offers efficient transport for Mobile Security Boxes, handling loads up to 1,984 lbs on its 4.1 ft by 4.1 ft platform. Featuring a manual hydraulic lift, single braked axle, adjustable forks, shock absorbers, wheel chocks, and a galvanized chassis, it allows a single operator to quickly unload and position security masts without needing a flatbed truck.

TMT-2500

The TMT-2500 trailer supports heavier loads up to 3,968 lbs on its larger 8.2 ft by 4.1 ft loading area. Equipped with an electric-hydraulic lift, twin braked axles, adjustable forks, wheel chocks, shock absorbers, and a durable galvanized chassis, it provides reliable transport and easy maneuverability by a single person, even on rugged terrain.



Features and Specifications

TELESCOPICMAST

Features TMT-750	Specifications	TMT-750	TMT-1300	TMT-2500
Heavy support wheel	Size:	4.6 x 8.4 x 2.9 ft	6.4 x 9.1 x 4.1 ft	6.3 x 13.1 x 3.1 ft
Shock absorbers				
Hot dip galvanized chassis	Maximum permissible weight:	1653 lbs	2866 lbs	5512 lbs
	Own weight:	375 lbs	827 lbs	1433 lbs
	Load capacity:	1653 lbs	2039 lbs	3968 lbs
Features TMT-1300	Loading space dimensions (LxW):	2.0 x2.6cm	4.1 x 4.1 ft	8.2 x 4.1 ft
Heavy support wheel	Axle:	Single axle 1653 lbs	Single axle 2866 lbs	Twin axle 5512 lbs
Shock absorbers				
Wheel chocks	Braked axle(s)	Yes	Yes	Yes
Adjustable forks (width)				
Tie hooks and rails	Lifting Mechanism:	No	Hydraulic	Electric - Hydraulic
Hot dip galvanized chassis	Certifications	CE Certified	CE Certified	CE Certified
		ISO9001 Certified	ISO9001 Certified	ISO9001 Certified
Features TMT-2500				
Heavy support wheel				
Shock absorbers				
Wheel chocks				
Adjustable forks (width)				
Tie hooks and rails				
Hot dip galvanized chassis				



Creating global site security

